

From: Ann DiDonato/R3/USEPA/US
Sent: 1/29/2012 4:58:28 PM
To: Rupert.Richard@epamail.epa.gov
CC: Fetzer.Richard@epamail.epa.gov
Subject: Fw: Sampling Schedule for the Week of January 23, 2012

No idea....someone had to forward it. Here is the original and he was not on the distribution list.

I did not editorialize the email I sent last week - so there was no detailed info. I can have Joanna send that starting this week. I got a call from Suddha wondering why no helpful info was included on this weeks email (as in the one last week where I added details and suggestions for sample locations...). Thought that was not my job to do (told not to send that stuff) so I guess I went too far the other way.

----- Original Message -----

From: Ann DiDonato
Sent: 01/25/2012 05:04 PM EST
To: "Brokenshire, Stephen" <sbrokenshi@pa.gov>; John Smelko <john.smelko@cabotog.com>
Cc: Humane Zia; Richard Fetzer; Richard Rupert
Subject: Sampling Schedule for the Week of January 23, 2012

Monday January 30 -

0830 - Ex. 6 - Personal Privacy (schedule) - Ex. 6 - Personal Privacy
1330 - Ex. 6 - Personal Privacy
1330 - **Ex. 6 - Personal Privacy**

Tuesday January 31 -

0830/1330 - **Ex. 6 - Personal Privacy** (owner reports 2 wells including well at residence)
0830 - **Ex. 6 - Personal Privacy**
1330 -

Wednesday February 1 -

0830 - **Ex. 6 - Personal Privacy**
1330 -
Ex. 6 - Personal Privacy

Thursday February 2 -

0830 - **Ex. 6 - Personal Privacy**
0830 -
1330 -
1330 -

As you can see, most residents next week are interested in split sampling. On Monday, there is a resident who has agreed to allow DEP to split samples, but will not allow Cabot to split samples. I will send that information over to Stephen in another email.

If you have any questions, please let me know.

We are still working on the scheduling for Friday - I will send that information over as soon as the schedule is finalized.
Thanks - Ann

Ann (Breslin) DiDonato
On-Scene Coordinator
US EPA Region III - Philadelphia
Office 215-814-3311
Cell 215-287-8157